BIOSLURRY: Superior Organic Fertiliser

Utilisation and Management H a n d b o o k





۲

 (\bullet)

Introduction to Bioslurry

Bioslurry definition

Bioslurry is the liquid discharged at the biodigester outlet after gas has been tapped for energy. It is superior organic fertilizer; a co-product of the biodigester. It is composed of 93% water and 7% of Dry Matter. It contains Nitrogen, Phosphorous, Potassium, Zinc, iron, manganese and copper among others. Wet slurry is alkaline (8.12PH), odourless and pathogen free.

Quality of Bioslurry depends on:-

- 1. Species and Age of the animal from which the dung is drawn
- 2. Quality of Water used in mixing the dung
- 3. Types of animal feed and feeding rate.
- 4. Use of urine along with dung
- 5. Storage, treatment and application of the slurry

Modes of Application/Utilization

- 1. Liquid
 - Direct Feeding –In rows, Around the crops –Cover with soil after application.
 - Foliar (Liquid Manure) See Page 5 of the Handbook
 - Irrigated- Through pipes
- 2. Solid-Compost Making –See Page 6 of the Handbook
- 3. Pellets and seed coating
- 4. Animal Feeding –Fish, chicken, Pigs



Direct Application: Pumping directly to the farm





Dry/Solid application after Compositing

Bioslurry production process

(

4



Biogas Plant (Fixed dome-model)

Benefits of Bioslurry

- An excellent soil conditioner, adds humus
- Enhances the soil's capacity to retain water.
- Safe to handle
- Highly nutritious and contains trace
 elements
- Is pathogen-free. The fermentation of dung in the reactor kills organisms causing plant disease including weeds
- It repels termites and pests that are attracted to raw dung.
- Effective for a period of over 3 years in soil while chemical fertilizers serve only one cropping season
- Savings on chemical fertilizer and pesticides (Cash)

Bioslurry management structures

Slurry Pit and compost pits

Bioslurry Pits



Bioslurry pit with improvised roof to protect from rain and sun



Liquid manure from bioslurry



1. Fill a sisal sack with slurry, tie the top of the sack with a string. Fasten the sack to a strong pole/stick. Fill a drum/ bucket with clean water-equivalent to the amount of slurry in the sack



2. a). Place the sack in the drum/ bucket with water, leave it there for the next 15 days. Ensure the sack is suspended in the drum/bucket

2 b). Cover/Store under a shade to avoid nutrient loss



3. Stir after every three days by rotating the pole/stick around the drum





4. After 15 days remove the sack, the liquid manure is ready for use

5. To 1 part of liquid manure add 2 parts of water and apply to crops

۲



 $(\mathbf{\Phi})$

Bioslurry application in Vegetable Growing



1. Planting:

(4)

- Dig and prepare 1 4ft (wide) x 20 ft (long) double dug garden
- Pour 10-20 litres per m², liquid bio-slurry, or spread (broadcast) 4,000-8,000 kg per acre, bio-slurry compost
- Plant the vegetable seedlings, observe spacing then mulch



2. Pour bio-slurry in the garden as the crops grow



3. Control insect pests:

- Mix 1(bio-slurry) : 2(water).
- Filter to remove impurities from the mixture
- Spray the crops
- Alternatiely pour the mixtue between the crop rows then mulch



4. Harvesting the vegetables

۲

BioSlurry application in Coffee Growing



1. Planting:

((()

- Dig a 2ft (wide) x 2ft (deep) pit.
- Mix 1 (composted bio-slurry): 1 (black loam soil).
- Plant the coffee seedling at 3/4 pit depth
- Water the seedling then mulch



2. Growing plants:

- Dig canal around the plant roots, 2-3 ft from the stem
- Canal size; 1ft (wide) x 1ft (deep)
- Fill canal with either liquid or bio-slurry compost
- Cover with soil then mulch.



3. Control of insect pests



4. A good harvest

۲

BioSlurry application in Banana Growing



1. Planting

۲

- Dig a 2ft (wide) x 2ft (deep) pit
- Mix 1 (composted bio-slurry) : 1(black loam soil).
- Plant the banana sucker at 3/4 depth.
- Water the sucker then mulch



2. Growing plants

- Dig a canal around the plant roots, 2-3 ft from the stem
- Canal size; 1ft (wide) x 1 ft (deep)
- Fill canal with either liquid or bio-slurry compost
- Cover with soil then mulch







4. Good banana yields

۲

BioSlurry application in Mushroom Growing



1. Preparation of growth media (substrate)

- Mix 1 (bio-slurry compost): 3 substrate-cotton seed husks, been hulls, dry banana leaves).
- Soak the mixture for 1-3 days. Drain for 45-60 minutes.
- Steam for 2-3 hours, cool on a clean tarpaulin or polythene sheeet ready for inoculation.



2. Substrate inoculation

- Inoculate (sowing) the substrate with spawn (mushroom seeds) in a black polythene bag.
- Suspend the mushroom gardens in a dark room and follow the routine management practices.







4. Good mushroom plants and yields

4



۲

BioSlurry application in elephant (nappier) grass Growing



1. Preparation and Planting

- Cut Stems of 3 nodes each.
- Plant on ridges dug in rows of 3ft apart
- Space the cuttings at 2ft apart along the ridges or rows.
- Pour liquid bio-slurry in between the plant rows, mix with soil, then mulch



2. Growing plants

- Pour liquid bio-slurry in between the plant rows
- Mix with soil, then mulch



3. Harvesting and fertilisation

- Harvest the crops at 2 1/2- 3 ft height
- Weed the harvested area.
- Pour liquid bio-slurry in between the plant rows
- Mix with soil, then mulch



4. Good elephant grass yield

(4)

Bio-Slurry application in Pig Feeding





1. Preparation

۲

- Mix 1 (liquid bio-slurry) : 1 (maize bran) to form a semi-solid brownish mixture
- Alternatively, mix 7 (liquid bio-slurry) : 3 (mixed pig feed ration.)
- 2. Semi-solid brownish mixture



•

3. Feeding:

- Place the feed mixture into a feeding trough.
- In addition, provide clean drinking water.

4. Good perfoming pigs

Bio-Slurry application in Local Poultry Feeding

•



1 Preparation

۲

- Mix 1 (liquid-bioslurry) : 1 (maize bran) to form a semi-solid brownish mixture
- Alternatively, mix 7 (liquid bio-slurry) : 3 (mixed chicken feed ration).



2. Semi-solid brownish mixture



3. Feeding:

- Place the feed mixture into a feeding trough
- In addition , provide clean drinking water



4 Good performing local chickens

()

Bio-Slurry application in Fish Pond Fertilisation



1. Pond preparation

۲

- Disinfect new or old pond for restocking by pouring in lime at 225kg per 1,000 m² pond area
- Add 20 kgs of bio-slurry per 1,000 m² of pond area to fertilise the pond
- Leave the pond to stand for at least 1 week, then add water.



2. Stocked pond

- Tie 0.3-0.4 kg of either liquid or composted bio-slurry per m2 of water surface in a porous sack
- Suspend the sack in the water inlet corner of the pond
- Allow the bio-slurry to dissolve slowly into the water, hence fertilising the pond



3. Fish Growth



4. Good fish harvest

(

7/18/16 11:34 AM





Kenya Biogas Program Humanist Institute for Co-operation with Developing Countries ACS Plaza, Lenana Road | P.O Box 19875 | Nairobi | Kenya Tel +254 (0) 789 451 729 Email: info@kbp.co.ke



۲

۲

۲